



## Machine Specification Data

\* Dimension value not published by machine manufacturer. Value derived by subtracting min mold thickness from max daylight opening. (Max Daylight – Min Mold Thickness = Max Mold Thickness)

#	Make	Model #	Year (Rebuilt)	Serial Number	Clamp Ton.	Shot Cap.	Platen (HxV)	Tie Bar Spacing	Min. Mold Thickness	Max. Mold Thickness	Max. Open Daylight	Ejector Stroke	Screw Diameter
1	Battenfeld	TM 50/210	2005	28277	56	4.58	19.29x19.29	12.60x12.60	5.91	13.78	23.62	3.94	35 mm
3	Multitech	C55SD-GK	2016		55	3.5			6.89		14.76	3.54	30 mm
4	Battenfeld	BA600/200 CDC	1995	CC60901516993	60	5.6	19.29x19.29	12.6x12.6	5.91	16.15	22.6	5.91	35mm
5	Battenfeld	BA600/50 CDC	1995	CC60909517223	60	1.07	19.29x19.29	12.6x12.6	5.91	16.15	22.6	5.91	22mm
6	Battenfeld	TM 1000/525	1999, N/A	23012	110	8	25.2x25.2	16.5x16.5	7.87	17.7	32.6	5.5	40 mm
7	Battenfeld	TM 1600/1000	2000, N/A	55.819	176	15.7	29.5x29.5	20.5x20.5	8.86	21.65	40.55	7.09	50 mm
8	Battenfeld	TM 1000/525	2002, N/A	25.535	110	8	25.2x25.2	16.5x16.5	7.87	17.7	32.6	5.5	40 mm
9	Battenfeld	TM 1000/525	2002, N/A	25.400	110	10.3	25.2x25.2	16.5x16.5	7.87	17.7	32.6	5.5	45 mm
10	Arburg	221 M 250-55	1996, N/A	167789	28	2.08	13.5x9.8	8.7x8.7	5.9	8.7	16.57	2.36	30 mm
11	Husky	G500 RS100/100	1999, N/A	2129729	550	111	50.7x52.5	36.2x36.2	9.8	33.5	67.9	8.8	110 mm
12	HAITIAN	MA6000/6800	2012	201207060033527	674	159	51.18x51.97	34.65x34.65	14.96	34.65	70.08	9.45	110mm
14	Battenfeld	TM 4500/2800	2002, N/A	57.929	500	68.2	44.1x44.1	31.5x31.5	11.8	30.3	60.2	9.8	85 mm
15	Van Dorn	170HT-14	1995, N/A	170HT-14F-791	170	14	29x29	20x20	6	18	35	4	50 mm
16	Van Dorn	170HT-14	1997, N/A	170HT-14F-1015	170	14	29x29	20x20	6	18	35	4	50 mm
17	Battenfeld	HM 2700/1900	2005	59485	300	34.6	40.16x37.01	27.95x24.80	13.78	25.59	47.24	7.87	65 mm
18	Van Dorn	170HT-17	1995, N/A	170RS8FHT721	170	8	29x29	20x20	6	18	35	4	40 mm
19	Battenfeld	TM 2700/1900	2005	91259	300	34.6	37.01x37.01	24.8x24.8	9.84	25.59	49.2	7.87	65 mm
20	Van Dorn	170HT-16	1994, N/A	170RSHFHT	170	14	29x29	20x20	6	18	35	4	50mm
21	Van Dorn	120HT-12	1993, N/A	120RS8FHT	120	8	25x25	17x17	6	16	30	3	40mm
22	DIMA	DMT-550	2003	A10507	550	64.6	13.78	29.53	13.78	29.53	56.3	7.09	3.54
23	HAITIAN	MA2500	2013	201307025030165	281	23	33.86x33.86	22.83x22.83	8.66	22.83	44.09	5.91	60 mm
24	Battenfeld	TM 2700/1330	2002, N/A	57.446	300	29.3	37x37	24.8x24.8	9.84	25.59	49.21	7.87	65 mm
25	Battenfeld	TM 2100/1000	2002, N/A	57.781	230	19	33x33	22.4x22.4	9.84	23.6	44.48	7.08	55 mm
26	Battenfeld	TM 2100/1330	2001, NA	57136	236	16	33x33	22.4x22.4	9.84	23.6	44.5	7.09	55 mm
27	Battenfeld	TM 1000/350	2002, NA	25533	112	7.06	25.2x25.2	16.5x16.5	7.87	17.72	32.68	4.72	40 mm
28	Cincinnati	VT 110-8	1992, NA	4035A61/92-87	110	8	24.8x22.8	16.1x14.2	5.9	18.7	30.5	2.8	40mm
29	Battenfeld	TM 1300/750	2000	56.246	146	11	26.38x26.38	18.5x18.5	8.86	19.69	36.61	5.51	45 mm
32	HAITIAN	MA2500	2013	201307025030168	281	23	33.86x33.86	23.83x23.83	8.66	22.83	44.09	5.91	60 mm
34	HAITIAN	MA6000/6800	2012	201207060033529	674	159	51.18x51.97	34.65x34.65	14.96	34.65	70.08	9.45	110mm
35	DEMAG	950 Caliber	2003	0105	950	139.1	66.4x60.6	49.2x42.3	17.7	48	86.6	10.8	110mm
36	DEMAG	950 Caliber	2003	0106	950	139.1	66.4x60.6	49.2x42.3	26.7	57	95.6	10.8	110mm
37	Van Dorn	1100H-RS-260F-CV-XLP	1990	301	1100	260	65x81	60x40	12	62	92	8	135 mm